



Keystone Emergency Vehicles  
 307 Twin Springs Court  
 New Holland, PA 17557

Keystone Emergency Vehicles  
 Sales: 717-292-7977

Quote No: CF102519-  
 10/25/2019 08:16:19

WO#: 426674

Page 1

PART NO	DESCRIPTION	QTY	ID	REF. NO
	<b>== Ford, F-450,193"WB,4x4, XLT,170", #1170F - 621.011 04/29/19 ==</b>	<b>1</b>	<b>WC</b>	
	<b>CHASSIS:</b>	<b>1</b>	<b>WC</b>	
00-10-4036	Ford 2019 F-450, 4x4, XLT, 6.7L, 193"WB 2019-1 193" wheelbase	1	WC	10510354
	Autothrottle OEM Ford Alternator OEM Ford Mirrors, OEM, Heated/Remote Cab seats OEM Captains chairs(no armrests)			
00-91-0000	Domestic Chassis	1	WC	
00-98-0010	Dealer/Customer will pay WC for delivery	1	WC	00-98-0010
	<b>CONVERSION</b>	<b>1</b>	<b>WC</b>	
05-00-0200	Conversion, BOM, Type 1, 170 Module, F450 4x4 19-1	1	WC	10509230
	Includes Liquid Spring Rear Suspension			
	<b>CAB TO MODULE MOUNTING:</b>	<b>1</b>	<b>WC</b>	
10-10-1001	Bellows, Passthru, Unigrip, F1 2008+, Std	1	WC	10-10-1001
	With Aluminum cab insert.			
	<b>CHASSIS ADD-ONS:</b>	<b>1</b>	<b>WC</b>	
1A-10-0050	Wheeled Coach Stainless Grille Logo, with reflective backing Red reflective behind cut out.	1	WC	10771088
	<b>SUSPENSION:</b>	<b>1</b>	<b>WC</b>	
1F-30-7551	Rear Suspension - Liquid Spring- 2017+ F450, 4x4 Dump Feature activated by the Left rear access door. Override switch to be on RR lower, interior entry door panel. Ignition switch Hot, Standard.	1	WC	1F-30-7551
	Per KKK, the rear suspension shall only lower the module when the vehicle is in park and the parking brake is set.			
	<b>CHASSIS ADD ONS, MISC</b>	<b>1</b>	<b>WC</b>	
2F-71-7103	Cab Flooring, Black Rubber, 2009+, F350/450, OEM	1	WC	2F-71-7103

PART NO	DESCRIPTION	QTY	ID	REF. NO
<b>HEATING/AIR CONDITIONING:</b>		1	WC	
5U-12-5000	Hoses, Heater, No Max, to Rear, STD	1	WC	9980003
5U-70-0123	Heat/AC, F1, 2011+, Combo, w/Coolbar , DAK Ducted with thermostat in action area.	1	WC	5U-70-0123
	12vdc External Condenser, in Coolbar mounted on front of module. Painted white to match front of module.			
5U-81-1005	Gen III Fiberglass Cool Bar cover	1	WC	10761816
5U-90-1165	Heat/Air Conditioner Located Center over WT/PT, ILOS	1	WC	
	HVAC evaporator relocated to front bulkhead above the pass thru			
<b>BATTERY SWITCHES:</b>		1	WC	
60-22-1030	Battery Sw, 5min Timer, F1, Fig 5B, Batt under Hood Activated thru OEM ignition switch timer function upon ignition "off".	1	WC	60-22-1030
	Momentary rocker switch, on driver's side of cab console, to function as timer shutoff and also reactivate timer.			
	(2) OEM batteries under hood			
	ONLY Module power is turned on/off. Chassis power is NOT turned off.			
<b>CONSOLES:</b>		1	WC	
7U-10-0602	Console, Center, Pass-thru, Mica Finish, F1, CN11 ILOS	1	WC	7U-10-0602
	Per Eng design. Std style Console, with IATS (2) cup holder's and map storage at rear.			
7U-10-7000	Console, A/A, Wood, Angled	1	WC	1301700
<b>BULKHEAD CABINET:</b>		1	WC	
TF-50-0600	Bulkhead,Unigrip,Pass Thru,153/170x72 Eng note HVAC above pass thru ILOS	1	WC	C981509
<b>WHEELCOVERS:</b>		1	WC	
X5-10-3901	Covers,Wheel,Phoenix,F450,4X2/4x4,1153/1170 with Air Max Valve Extenders, std	1	WC	X5-10-3901
<b>== Type 1 Ford - 170" Module - #1170F - 621.009 01/22/19 ==</b>		1	WC	
00-05-0100	This unit built in accordance with KKK-A1822-F CN 10 This unit as specified meets all requirements of KKK-A1822-F Change notice 10.	1	WC	
	All cabinets shall be labeled as to their capacity Rating.			
35-05-0055	Type 1 - 170" Module - Standard Model Series	1	WC	35-05-0055
35-05-0060	Type 1 - 170" Module General Body Construction Spec	1	WC	35-05-0060

PART NO	DESCRIPTION	QTY	ID	REF. NO
35-05-0065	Type 1 - 170" Module Vehicle Body Structure Spec	1	WC	35-05-0065
35-05-2000	INTERIOR CABINETS -Duralite Construction, Wood, CN10 compliant All cabinets shall be labeled with their Rated Weight Capacity.	1	WC	35-05-2000
	<b>MODULE BODIES:</b> Eng heads up .125 compartments ILOS	1	WC	
35-10-0068	Aisle Space, 50 inches, STD, Type 1, Std Model Only (49-50" actual)  Requires stainless steel wheelwell covers attached to squad bench and basewall cabts that will protrude up to 1.5" into aisleway on each side.  Install anti-slip decal with Wheeled Coach logo on curbside and rear stainless steel thresholds, STD	1	WC	35-10-0068
35-10-0320	Module Skins, 0.125 inch	1	WC	35-10-0320
35-10-0502	Headroom, 72 in. Type 1 - 170" module, #1170F/D	1	WC	35-10-0502
35-11-0300	Drop Skirt, 6 inches forward of rear wheels, Both sides Note: Bright finish fender flares will not work, must use rubber	1	WC	35-11-0300
37-00-0350	Coating, Polyurethane, Per compartment (1) Each light gray	6	WC	3F-70-0520
37-00-0360	Coating, Polyurethane, Rear Bumper Supports	1	WC	3F-70-0525
37-00-0425	Compartments, .125 Aluminum ILOS  Machine stamped louvers located above the floor line for venting.	1	WC	37-00-0425
37-00-0500	Compartments, Std, Floor 3" Drop Down from Door Opening  compts B1,B2,D,& E are STD drop down floor	4	WC	37-00-0500
37-00-0600	Compartments, Sweepout - Compartments "A" & "F" are standard sweep out	2	WC	37-00-0600
37-00-0710	Duraseam Doors, with Hidden Jambs - Magnetic door switches, Standard	1	WC	37-00-0710
39-A0-0377	A, Compt, Single Door, Hoseline, 170" Module,72" HR,#1170F/D	1	WC	39-A0-0377
39-B1-0155	B1, Compt, Std, 170" Module, 72" HR, #1170F/D	1	WC	39-B1-0155
39-B2-0177	B2, Compt, Std, 170" Module, 72"H.R, #1170F/D	1	WC	39-B2-0177
39-D0-0355	D, Compt, 3/4, 170" Module, 72" H.R, #1170F/D With Single Door	1	WC	39-D0-0355
39-E0-0105	E, Compt, Std, 170" Module, #1170F/D With Double Doors recessed suction	1	WC	39-E0-0105
39-F0-0305	F, Compt, Std, Full Height, 170" Module, 72" H.R, #1170F/D	1	WC	39-F0-0305

PART NO	DESCRIPTION	QTY	ID	REF. NO
39-F0-0600	With Dogleg for Stairchair in Compt "F" To fit a stryker 6252 or FW EZ glide stair chairs	1	WC	39-F0-00600
	<b>FUEL FILL HOUSING:</b>	<b>1</b>	<b>WC</b>	
3A-10-1000	Housing, Fuel Fill, Cast, F1/C1/D1/M2	1	WC	1000775
3E-00-0100	Add Dogleg in Compt "E" for Recessed Suction in Face of A/A	1	WC	9980003
	<b>EXTERIOR DIVIDERS:</b>	<b>1</b>	<b>WC</b>	
3F-10-1101	Divider, Vertical, B2, 3/16" Thick, Recessed Adj Track,Std Model only  compt "B2", centered.	1	WC	3F-10-1101
	<b>SHELF- COMPARTMENT "A"/RF CABINET:</b>	<b>1</b>	<b>WC</b>	
3F-20-1000	Shelf, Adjustable,(1), RF Cabt Custom  (1) RF cabt "E1" area, centered.	1	WC	1101600
3F-20-1500	Shelf, Additional, Adjustable, (1), RF Cab Custom  (1) RF Compt "A"/cabt "E2" area, centered.  (1) RF Compt "A"/cabt "E3" area, centered.	2	WC	1101601
	<b>SHELF- COMPARTMENT "D":</b>	<b>1</b>	<b>WC</b>	
3F-40-3001	Shelf, Custom, Adj, Cmpt "D", (1), Std Model only at bottom of cabt "H" inside/outside access opening.	1	WC	3F-40-3001
	<b>SHELF- COMPARTMENT "E":</b>	<b>1</b>	<b>WC</b>	
3F-50-0200	Shelf, Fixed, Cmpt E, for Electrical storage, No Divider  Eng note NO bio waste per work order please	1	WC	1101621
	<b>COMPARTMENT / SHELF, MISC:</b>	<b>1</b>	<b>WC</b>	
3F-70-0400	Bracket, Stairchair Mount, State Location : Diamond plate box mounted to the door of Compt: D, per Eng design.	1	WC	2350076
	<b>WINDOWS:</b>	<b>1</b>	<b>WC</b>	
3P-10-5201	Window,Upper,CS/Slider,Rr/Fixed,Priv Tint,PAN,Std Model only	1	WC	3P-10-5201
	<b>MODULE ENTRY DOOR HANDLES:</b>	<b>1</b>	<b>WC</b>	
3U-30-8010	Handles, Patient Entry, Trimark, Chrome "SafePass" ILOS	1	WC	3U-30-8010
	<b>EXTERIOR COMPT DOOR HANDLES:</b>	<b>1</b>	<b>WC</b>	
3U-40-0512	Handle, Module Compt, Trimark, Chrome, ILOS	6	WC	3U-40-0512
3U-40-0514	Latch, Paddle, Trimark, For Trailing Door compt "E"	1	WC	3U-40-0514
3U-60-0100	ELECTRIC DOOR LOCK PACKAGE OPTIONS: Click to add	1	WC	
3U-60-1390	Door Locks,Electric, Trimark, (1)DOOR, Entry Door  Module entry doors.	2	WC	3U-60-1390
3U-60-1400	Door Locks,Electric, Trimark, (1)DOOR, Compt Door  All module compts	6	WC	3U-60-1400

PART NO	DESCRIPTION	QTY	ID	REF. NO
3U-60-1500	Switch,Momentary Rocker,Activate Elect Door Locks Installed on C/S wall at head of S/B.	1	WC	1819981
3U-60-2500	Switch, Stealth, Cab/Mod Doors In grille on passenger's side.	1	WC	1800026
3U-60-3000	Relay Control Circuit, Electric Locks	1	WC	1800027
3U-60-3002	Intermotive CAN module for 2017+ Ford F-series Required for Elec locks on F series.	1	WC	10518881
3U-60-5200	Circuit, OEM Door Lock to activate Mod Doors(not Dodge)	1	WC	1809918
	<b>DOOR HOLD OPENS:</b>	<b>1</b>	<b>WC</b>	
40-10-1611	Hold Opens,Rr Doors,Cast,Grabber (2), 5.5", Std Model only  - Installed so doors will open as wide as possible - Mount at Bottom of doors.	1	WC	40-10-1611
40-10-7200	Hold Open, Gas Strut, Ext Compt, 30lb, Std	6	WC	1100512
40-10-7205	Hold Open, Gas Strut, RF Compt, 30lb, Std	1	WC	1100516
40-10-7750	Holdopen, Gas Strut, CS Entry Door, 35# Standard. New Code Per ECN 1823	1	WC	40-10-7750
	<b>DOOR PANELS:</b>	<b>1</b>	<b>WC</b>	
45-10-4520	Panels, Entry, Durasafe, Stainless Steel, w/ Chevrons, Reflective Logo, STD Aluminum Center Panels covered: white/red reflective tape Logo to be cut in the lower entry door panel with a reflective 3M material (to match the chevron on the lock box) attached to an aluminum panel behind the logo.	1	WC	10771191
	<b>FENDER FLARES:</b>	<b>1</b>	<b>WC</b>	
4A-10-1001	Flare, Fender, Rear, Black Rubber, Std Model only	1	WC	4A-10-1001
	<b>BUMPERS:</b>	<b>1</b>	<b>WC</b>	
4F-10-1101	Bumper,Rear,w/ Skids & Flip Up,F1/C1,w/LED DOT lts,Std Model  w/ Gator Grip on flip up step.	1	WC	4F-10-1101
	<b>RUNNING BOARDS:</b>	<b>1</b>	<b>WC</b>	
4K-10-2112	Running Boards, Standard, 2017+ F450, w/ Gator Grip, #1153F/1170F	1	WC	10155488
	<b>SKIRTRAILS</b>	<b>1</b>	<b>WC</b>	
4U-10-9250	Skirtrails,Extruded "C" channel (E-one Style) ILOS	1	WC	10422089
4U-10-9500	Tape, Reflective, White, For Extruded Skirtrails	1	WC	4U-10-9500
	<b>STONE GUARDS (FRONT):</b>	<b>1</b>	<b>WC</b>	
4U-11-2000	Stone Guard, Front, Dia Plate, Type 1 & Ford Type 3  Eng note heads up 6" drop skirt forward of rear wheels	1	WC	1100139
	<b>KICKPLATES (w/STD. REAR STONEGUARDS):</b>	<b>1</b>	<b>WC</b>	
50-10-0A07	Kickplate, Under-Ride Bumper, w/ Tag recess and No lights	1	WC	10524083
55-10-3000	Holder, License Plate, Cast, C30002, STD - in rear kick plate, centered	1	WC	1600055

PART NO	DESCRIPTION	QTY	ID	REF. NO
	<b>SILL PROTECTORS</b>	1	WC	
55-30-4001	Sill Protectors, Stainless, All Compts, Std Model only	1	WC	55-30-4001
	<b>MODULE STEPWELL:</b>	1	WC	
55-90-6000	Stepwell, Double Step, ILOS, Type 1	1	WC	55-90-6000
55-90-6100	Thresholds, Stainless Steel, Painted with Black Poly-urea coating- Standard	1	WC	10771072
	<b>MUD FLAPS:</b>	1	WC	
5A-10-1001	Mud Flaps, Rear, W/Logo, Std Model only	1	WC	5A-10-1001
	<b>PAINT/BELTS:</b>	1	WC	
5F-10-0800	Paint, OEM White Sikkens Crossover Codes	1	WC	5F-10-0800
	Ford white: FA91:YZ			
5F-10-4801	Paint, Belt, None, Std Model only Cab & Module, all white, std.	1	WC	5F-10-4801
	<b>DECAL PACKAGES INSTALLED:</b>	1	WC	
5P-10-5001	Roof Star, White Border, Installed, Std Model Only	1	WC	5P-10-5001
	<b>ELECTRICAL SYSTEM: Circuitboard</b>	1	WC	
	<b>COAX CABLES/ANTENNAS:</b>	1	WC	
65-10-3001	Coax Cable, RG58/U, (1), Additional, Std Model only	1	WC	65-10-3001
	Dome # 7 to behind the pass seat with 6' pigtails			
65-30-1000	Coax Cable, RG58/U, (1) Each, Standard, Terminate:	1	WC	1850001
	Dome # 6 to behind the pass seat with 6' pigtails			
	<b>12VDC POWER SOURCES &amp; OUTLETS:</b>	1	WC	
6A-22-200E	Outlet, Cigar Lighter, STD, (2), A/A Wired Constant Hot	1	WC	6A-22-200E
6A-22-2500	Outlet, Cigar Lighter, IATS, (1) Wired Constant Hot RF Cabinet E2 wall 2 upper right next to 110V outlet	1	WC	1801258
6A-22-5200	Outlet, Kussmaul, USB Dual Port, 5VDC, 3 Amp output, switch panel location ILOS. Located in the cab switch panel per Electrical Engineering	1	WC	6A-22-5200
6A-22-5200	Outlet, Kussmaul, USB Dual Port, 5VDC, 3 Amp output, switch panel location Located in the Action area switch panel . Standard.	1	WC	6A-22-5200
	<b>POWER SOURCE, 12 VDC</b>	1	WC	
6A-23-0910	Power Source, 12VDC, 20A, Ignition/Shoreline Hot (1) pre-wire coil and tagged in action area (1) pre-wire coil and tagged behind driver's seat.	1	WC	6A-23-0910
6A-23-1201	Power Source, 12 VDC, 15 Amp (+-), Std Model only Ignition hot, terminating in CC with 6 foot tails (hot and ground)	1	WC	6A-23-1201

PART NO	DESCRIPTION	QTY	ID	REF. NO
6A-23-3001	Power Source,12 VDC,30 Amp (+-), Std Model only Constant Hot, to terminate behind the passenger seat with 6 foot tails (hot and ground).	1	WC	6A-23-3001
<b>ELECTRICAL ACCESSORIES</b>		<b>1</b>	<b>WC</b>	
6E-10-4454	Camera, Backup, Brigade, (1) Color LCD Monitor Mount camera exterior on rear of module, off center toward driver's side.  Mount monitor in place of rearview mirror Approx 7" x 4 in.	1	WC	6E-10-4454
6E-10-4460	Mirror Mount for Monitor. Replaces OEM Rear View Mirror, Ford or Chev Camera Monitor Mounting Arm for Ford or Chev. Windshield Mount, Model STSDF1011. The monitor will mount to the windshield ILO the rear view mirror.	1	WC	10541715
<b>SHORELINE INLETS:</b>		<b>1</b>	<b>WC</b>	
6F-90-4101	Super Auto Eject,20 amp, ILOS, White, Std Model Only  Mounted above compartment "E"	1	WC	6F-90-4101
<b>110 VAC OUTLETS:</b>		<b>1</b>	<b>WC</b>	
6K-40-1000	Outlet, 110 VAC, Duplex, (2), STD  (1) outlet in action area (1) outlet in the RF Cabinet "E2", wall #2, upper right.	1	WC	1800001
6K-40-2000	Outlet, 110 VAC, Duplex, IATS  Telemetry area, wall #2, near wall 1, down low.	1	WC	1800219
<b>PREWIRES:</b>		<b>1</b>	<b>WC</b>	
7P-10-1005	Prewire, Stock, Wires Only, for "Std Model" Units INCLUDES: fog lights, wigwag, & block heater Set up per Eng	1	WC	7P-10-1005
7P-50-4500	Prewire, Inverter Vanner 1000 TUL/CUL, Plug In Terminate in compt E on fixed shelf	1	WC	1200469
<b>GAUGES/METERS:</b>		<b>1</b>	<b>WC</b>	
D0-10-1200	Meter, Analog, Volts, F1	1	WC	1530160
D0-10-6500	Alarm, Low Voltage, Audio/Visual Light in cab console and Buzzer in cab.	1	WC	D0-10-6500
<b>SIREN SPEAKERS:</b>		<b>1</b>	<b>WC</b>	
DF-10-1242	Siren Speakers, Cast SAD/PSAD3815-17FSD-1;FRD'17+, F1, Std Thru Front Bumper	1	WC	10237030
<b>SIRENS:</b>		<b>1</b>	<b>WC</b>	
DK-10-1400	Siren, Whelen, WS-295-SLSA1, Standard	1	WC	1700297
<b>SWITCHING OPTIONS FOR AIR HORNS &amp; SIRENS:</b>		<b>1</b>	<b>WC</b>	
DP-11-1000	Switch, Siren/Horn Thru Horn Ring	1	WC	1700622
<b>AUDIBLE ALARMS:</b>		<b>1</b>	<b>WC</b>	

PART NO	DESCRIPTION	QTY	ID	REF. NO
F0-11-3501	Alarm, Back-Up, Auto Reset, Std Model only	1	WC	F0-11-3501
FF-10-6001	Cab Headliner Removal Fee, Type 1/3 for back up camera monitor	1	WC	FF-10-6001
	<b>WHELEN FLANGES FOR 9E SERIES LIGHTS:</b>	<b>1</b>	<b>WC</b>	
FU-38-0100	Flange, Super 9L, #90FLANGC, (1) Each	15	WC	FU-38-0100
	<b>WHELEN SUPER LED 9L FLASHING LIGHTS T1,3,9:</b>	<b>1</b>	<b>WC</b>	
FU-40-0105	Light, 9L, Super LED, Whelen, Red,Clear Lens,ILOS, 90RR5FCR  (4) 2 each side standard location (2) on rear in upper outer corners (2) on front in upper outer corners  Pri/Sec internal, comet flash	8	WC	FU-40-0105
FU-40-0107	Light, 9L, Super LED, Whelen, Red,Clear Lens,IATS, 90RR5FCR  (2) Forward facing on coolbar (2) Angled section of coolbar  Pri only internal flash, comet flash	4	WC	FU-40-0107
FU-40-0110	Light, 9L, Super LED, Whelen,Amber,Clear Lens,ILOS, 90AA5FCR  (1) on Rear Center location  Pri/Sec internal flash, comet flash	1	WC	FU-40-0110
FU-40-0125	Light, 9L, Super LED, Whelen, R/A,Clear Lens,IATS, 90RA5FCR  (2) on rear to show through windows - Centered  Pri/Sec internal flash, comet flash	2	WC	FU-40-0125
	<b>WHELEN ION WARNING LIGHTS</b>	<b>1</b>	<b>WC</b>	
H4-11-1010	Light, Whelen, ION, WIONSMCR, Red w/chrome flange, ILOS  (2) Upper Grille (2) Front intersectors  Prim only factory default flash Eng note the 4 grille lights will use an X Flash pattern.	4	WC	10126618
H4-11-1011	Light, Whelen, ION, WIONSMCR, Red w/chrome flange, IATS  (2) Lower Grille  Prim only factory default flash Eng note the 4 grille lights will use an X Flash pattern.	2	WC	10126618



PART NO	DESCRIPTION	QTY	ID	REF. NO
	<b>WHELEN SUPER LED 7L LIGHTS W/FLASHERS:</b>	<b>1</b>	<b>WC</b>	
H5-58-0315	Light, 7L, Super LED, Whelen, Red, Red Lens, IATS, 70R02FRR  (2) 1 Centered above each rear wheel  Prim only factory internal flash, comet flash	2	WC	H5-58-0315
H5-58-0370	Light, 7L, Super LED, Whelen, Clear LED, ILOS, 70C02FCR  (1) on Front Center location high. Above where 7"x3" Light would be installed, if added at a later date.  Prim only factory internal flash, comet flash	1	WC	H5-58-0370
	<b>WHELEN FLANGES 7 SERIES LIGHTS</b>	<b>1</b>	<b>WC</b>	
H5-59-1000	Flange, Whelen, For 7E lights (1), Mods - For 7 Series Lights	3	WC	H5-59-1000
	<b>CORNER CAP LIGHTS</b>	<b>1</b>	<b>WC</b>	
HF-11-6049	Corner Cap Lts, Multi-LED, (2) Amber (2) Red w/Flashers, Std Model - High intensity flashers; thru separate switch	1	WC	HF-11-6049
	<b>CLEARANCE LIGHTS:</b>	<b>1</b>	<b>WC</b>	
HF-12-9100	Light, Clearance, Amber LED, ILOS - On front as clearance lights.	3	WC	1570073-1
HF-12-9601	Light, Clearance, Red LED, Std Model only - On rear as clearance lights.	3	WC	HF-12-9601
	<b>SCENE AND LOAD LIGHTS</b>	<b>1</b>	<b>WC</b>	
HK-20-110M	Light, LED, Whelen, Clear, #9SC0ENZR, 24 LED, ILOS, (1) W/ Chrome Flange  (4) 2 each side as scene lights	4	WC	HK-20-110M
HK-20-130M	Light, LED, Whelen, Clear, #9SC0ENZR, 24 LED, ILOS, (1) W/ Chrome Flange  (2) on rear as load lights	2	WC	HK-20-130M
HK-20-7400	Rear Scene Lts Activate W/Rev Gear. Side Rearmost Scene Lights Wired To Reverse Gear.  Rear load lights wired to reverse standard.	1	WC	1600721
	<b>HARNES LAYOUT:</b>	<b>1</b>	<b>WC</b>	
J5-12-1000	Halogen, " E " Spec, Whelen	1	WC	H960125
	<b>STOP/TURN/TAIL LIGHTS:</b>	<b>1</b>	<b>WC</b>	
JA-10-1200	Light, License Tag, (2), Trucklite #15205 LED, ILOS	1	WC	JA-10-1200
JA-13-8012	Taillights, Whelen, LED Stop/Tail, Turn & LED Backup, w/ WC logo, ILOS - Brake- Alert Flash before the steady Burn - Turn Arrow – sequential arrow - Replace backup with 700 LED	1	WC	JA-13-8012

PART NO	DESCRIPTION	QTY	ID	REF. NO
	<b>MODULE OVERHEAD HEADLINER:</b>	<b>1</b>	<b>WC</b>	
JK-10-6516	Headliner, Flat, PVC, w/Hinged trough cover,160"+ MAV/Ty1, DAK Plenums w/8 Ducts The headliner shall include the two plenums that run from the HVAC system to the eight 3.5" ducts in the ceiling (4 per plenum).	1	WC	10495240
	<b>12VDC INTERIOR LIGHTING:</b>	<b>1</b>	<b>WC</b>	
JP-10-0611	Lights, Dome, LED, Whelen,White Flng, (4) S/S, (3) C/S, ILOS NOTE: NO VISABLE FASTENERS OR HOLES.	1	WC	JP-10-0611
JP-10-0621	Light, Dome, LED, Whelen,White Flng,(1) IATS  Location: Over curbside entry door, step area  NOTE: NO VISABLE FASTENERS OR HOLES.  Wired with CS bank of dome lights	1	WC	JP-10-0621
JP-10-7015	Light, Stepwell, LED, Whelen #TOCACCCR, 2in, ILOS	1	WC	JP-10-7015
JP-10-8020	Light, Kinequip #621224W, LED, In A/A ILOS	1	WC	JP-10-8020
JP-11-4700	NO lighting recessed into trough cover- Standard	1	WC	
	<b>LIGHTS &amp; MISCELLANEOUS:</b>	<b>1</b>	<b>WC</b>	
JR-50-1050	Handheld Spotlight - Sho-Me 200,000 CP	1	WC	10131387
JR-50-2700	Lights,(2), 4in, LED, to Illum Running Boards, Constant Hot  Activated with the cab doors.	1	WC	JR-50-2700
JR-50-2885	Lighting, Compt, LED Hi-Brite Flex, ILOS both vertical edges near door jambs and across top edge near door jamb, compts "A", "B1", "B2", "D", "E", & "F". 2" O2 light ILOS.	1	WC	JR-50-2885
JR-50-2950	Light, LED, Compt, Whelen #TOCACCCR, 2in, ILOS O2 Light ILOS	1	WC	JR-50-2950
JR-60-2003	Timer, Momentary Sw,15 Minute, Constant Hot, Std Model only Mount switch on C/S wall at the head of the squad bench in the standard location. Switch to allow activation and also deactivation. Wire to street side domes on high.	1	WC	JR-60-2003
JR-70-0005	Light, in Circuit Board Area, for Electrical Troubleshooting - with integral switch; wired constant hot.	1	WC	JR-70-0005
	<b>CLOCKS:</b>	<b>1</b>	<b>WC</b>	
L0-10-2550	Clock, Intellitec, Installed  Recessed over rear entry doors	1	WC	L0-10-2550
	<b>SUCTION PUMPS:</b>	<b>1</b>	<b>WC</b>	
LP-10-0500	Suction Pump, Standard	1	WC	2300363

PART NO	DESCRIPTION	QTY	ID	REF. NO
	<b>INSULATION:</b>	<b>1</b>	<b>WC</b>	
LU-10-3001	Insulation, Severe Weather Package one inch block foam in modular walls and roof covered with reflective insulation. Under Floor to be Spray Foam insulated after the production assembly process is complete by 24/7.  All edges of reflective insulation on walls and ceiling must be taped, std.	1	WC	LU-10-3001
	<b>GRABRAIL(S)/GRABHANDLES:</b>	<b>1</b>	<b>WC</b>	
N0-10-9101	Grabrail,Overhead,117",Handicap Style,Yellow,Std Model Only  Yellow Powder Coat Finish	1	WC	N0-10-9101
N0-10-9703	Handrails,(3),Custom "L" Shape,1",Yellow,Entry Drs,Std Model  Yellow Powder Coat Finish Stainless Steel Grab Handles	1	WC	N0-10-9703
	<b>O2 CYLINDER RACKS:</b>	<b>1</b>	<b>WC</b>	
NA-10-3550	Rack, Multiversal, #QR-MV, W/ Straps  For M or H tank in LF compt	1	WC	2300222
NA-10-6502	Track, Unistrut for Oxygen Rack -Standard per ECN	1	WC	SO-TRACK-313071
	<b>ELECTRIC O2 W/BYPASS:</b>	<b>1</b>	<b>WC</b>	
NK-52-4000	O2 Sys, LF, 2-AA Elec,1-VAC Port,1-C/S, 1-Liner Ohio style electric switch w/bypass in action area (2) oxygen outlets in action area (1) vacuum port in action area (Recessed) (1) oxygen outlet in liner at head of cot (1) oxygen outlet cs wall at head of squad bench. See ref drawing's.	1	WC	2310008
	<b>O2 SYSTEM PARTS:</b>	<b>1</b>	<b>WC</b>	
P0-59-1000	Oxygen Gauge High Pressure, From Left Front to A/A	1	WC	2309991
P0-59-7500	Regulator, Oxygen Cylinder, Preset 50PSI, Installed	1	WC	P0-59-7500
	<b>SUCTION CONTAINERS:</b>	<b>1</b>	<b>WC</b>	
PA-10-7003	Regulator/Holder, SSCOR 23002 with Canister clip-CN 10 Compliant Conforms to J3043 requirements (Recessed)	1	WC	10360085
	<b>COT MOUNTS:</b>	<b>1</b>	<b>WC</b>	
PF-26-3450	Stryker Power/Performance Load- Structure plates & Wiring for Future Install Additional floor structure for future installation of a Stryker #6390 Power-LOAD system or 6392 Performance Load.  Includes pre-wire which will terminate under the module head of cot.	1	WC	PF-26-3450
PF-35-9001	Do NOT cut Floor for Cot Mount Floorplate	1	WC	

PART NO	DESCRIPTION	QTY	ID	REF. NO
PF-36-0001	Center Mount	1	WC	
	<b>IV HOOKS:</b>	1	WC	
PP-20-8500	IV Hook, Cast, Fold Down Recessed, ILOS	2	WC	2350518
	(1) Between CS dome's 1 and 2 (1) Between street side domes 4 and 5			
	<b>MISC. INSTALLED HARDWARE/EQUIPMENT:</b>	1	WC	
R5-11-2000	Net, Squad Saver, at Head of Squad Bench, 2" Straps, Yellow	1	WC	2350033
	attached to floor at head of squad bench, CS wall and overhead liner with removable latches.			
R5-11-5740	Seatbelt, Assy, (4 Point), Per4Max, Yellow, (1) Each - CN-8 Above the Lid installation	3	WC	10767638
	(1) for CPR side seat (2) for squad bench			
R5-11-5810	Restrain Belts, Squad Bench (3) Standard	1	WC	10566610
	<b>STRAPS, INSTALLED:</b>	1	WC	
RK-13-3500	Seat Belt, Across Compt Opening	2	WC	2350027
	(1) B2 Compartment mid height  (1) On Compartment Door D for the Stairchair bracket			
	<b>MODULE INTERIOR</b>	1	WC	
RU-05-0000	Interior Cabinets - Duralite Construction, Wood -CN 10 Compliant	1	WC	RU-05-0000
	<b>MICA COLOR:</b>	1	WC	
RU-10-3001	Mica, Light Gray Gloss, Std Model only	1	WC	RU-10-3001
	<b>SUB FLOORING:</b>	1	WC	
RZ-99-0300	Floor, Interior, Non Wood, Type 1, ILOS	1	WC	1900002
	<b>FLOORING:</b>	1	WC	
T0-11-8201	Flooring, Lonplate II, Gunpowder Grey #424TX, Std Model only	1	WC	T0-11-8201
	<b>SEAMLESS 1880 COMFORT CHILD SAFETY SEATS:</b>	1	WC	
T5-10-0111	Seat, Attendant, EVS 1880, Child safety, Comfort, Gunmetal, Per4Max Belt-Yellow	1	WC	10788085
T5-11-4750	Attendant's Seat Base, EVS Swivel 2 Pos	1	WC	10133814
	<b>SEAMLESS UPHOLSTERY:</b>	1	WC	
T5-25-1500	Uph, Smless, Gunmetal, W/Bio, No Post & Wheel	1	WC	1900391
	<b>CUSHIONS:</b>	1	WC	
T5-40-2106	Upholstery, Backrest Cushion, EVS, Gunmetal, w/ WC Logo	3	WC	10523079
	<b>O2 DOOR:</b>	1	WC	
TK-10-5000	Lexan Flap W/Hinge	1	WC	2100052
	<b>GLOVE HOLDERS:</b>	1	WC	
TN-20-1001	Cabinet, Glove Box Holder, (3), Above C/S door, Std Model only Must use M1 latches for KKK Change notice 10 compliance	1	WC	TN-20-1001
	<b>RIGHT FRONT CABINET:</b>	1	WC	
TU-20-1400	Cab, RF, W/O Healthguard, Custom ILOS (SAP# 10147746) SR# 2181290F The Heat/AC unit has been moved to over the	1	WC	C950534

PART NO	DESCRIPTION	QTY	ID	REF. NO
	pass through ILOS. See reference drawings for design.			
	E1 Top inside access only with a CN10 slider Included under this BOM.			
	E2 Inside/outside access double doors			
	E3 Inside/outside access double doors			
	<b>RF CABINET DOORS W/COMBO A/C</b>	<b>1</b>	<b>WC</b>	
TU-20-7D00	Door,Dual Gray, Gen II OHO Poly Carbonate,RF Cabt	2	WC	
	(2) Sets of equal size double doors 1 for E2 and 1 for E3			
	<b>HARDWARE,LATCHES AND LOCKS:</b>	<b>1</b>	<b>WC</b>	
V0-14-2075	Latch, Southco M1, 2IN S/S, (3/4" door) Non-Locking, (1), CN 10 -Rated at 10lbs (self latching) Flush Mount. Non-Locking	1	WC	V0-14-2075
	(2) L1 cabt door			
V0-14-2078	Latch, Southco M1, 2IN S/S, (3/8" Door) Non-Locking, (1), CN 10 -Rated at 10lbs (self latching) Flush Mount. Non-Locking	6	WC	SO-LATCH-359035
	(2) 1 for R1 and 1 For R2			
	(2) GB cabt above CS entry door			
	(2) K2 cabinet above CPR side seat			
	<b>SQUAD BENCH:</b>	<b>1</b>	<b>WC</b>	
V5-20-3802	Squad Bench, Bio-Waste @ Head, 170", Std Model only	1	WC	V5-20-3802
	<b>LID 170 INCH BOX:</b>	<b>1</b>	<b>WC</b>	
V5-64-1501	Lid, Squad Bench, Single W/Bio-Waste, 170", Std Model only Must use M1 latch for CN 10 on Biowaste door	1	WC	V5-64-1501
	<b>HARDWARE:</b>	<b>1</b>	<b>WC</b>	
V5-80-1005	Handle, Trimark, Squad Bench, STD	1	WC	V5-80-1005
V5-82-1500	Strut, Gas, 30 LB, Installed, IATS Install on CPR Seat Lid	1	WC	2119715
V5-82-2500	Strut, Gas, 60 LB, Installed, ILOS, Mods	1	WC	2109706
	<b>CURBSIDE SPLINT CABINET 160-170 inch Module</b>	<b>1</b>	<b>WC</b>	
VA-40-4530	CS Splint,7in Deep,2 Sect,Gray Lexan Flapglass, 170 Module Note: TO meet KKK requirement for space between cushion on squad bench and bottom of splint cabt.  Gray Lexan Flap glass with Spring hinge  M1 latches (1) on each door for CN 10 certification	1	WC	CSS-170G
	<b>CURBSIDE REAR CABINET:</b>	<b>1</b>	<b>WC</b>	
VF-20-4700	Cabinet,Curbside Rear,Standard,170",72"HR	1	WC	2107001
	<b>CABINET H, BASEWALL 170", T1/T3</b>	<b>1</b>	<b>WC</b>	
VH-H2-0300	H, Cabinet, Inside/ Outside Access	1	WC	VH-H2-0300
	<b>CABINET I, BASEWALL 170", T1/T3</b>	<b>1</b>	<b>WC</b>	
VH-I2-0400	I, Cabinet, Deleted	1	WC	VH-I2-0400

PART NO	DESCRIPTION	QTY	ID	REF. NO
	<b>CABINET M, BASEWALL 160" &amp; 170", T1/T9</b>	<b>1</b>	<b>WC</b>	
VH-M2-0300	M, Cabinet, deleted	1	WC	VH-M2-0300
	<b>CABINET O, BASEWALL 160-170", T1/T3</b>	<b>1</b>	<b>WC</b>	
VH-O1-0100	O, Cabinet, full height, std	1	WC	VH-O1-0100
	<b>CABINET CPR, BASEWALL, 149"-170", T1 &amp; T3</b>	<b>1</b>	<b>WC</b>	
VH-Q0-0101	CPR, side seat, Std Model only	1	WC	VH-Q0-0101
VH-Q0-0301	CPR, side seat, flip up lid, Std Model only With Trimark Latch	1	WC	VH-Q0-0301
VH-R1-0105	"U" Barrier Bar, Padded, 6 7/8 x 7 1/2, 1.5 inch SS, CPR Seat, Gunmetal Mounted at the front of the CPR side seat vertically in line with the Padded head cushion on the "L" cabinets.	1	WC	10567199
	<b>CABINET J, STREETSIDE UPPER 170", T1/T3</b>	<b>1</b>	<b>WC</b>	
VI-J2-0150	J, Cabinet, Combined with K	1	WC	VI-J2-0150
VI-K2-0100	K2, Cabinet, w/ CPR seat Note: TO meet 43" minimum KKK requirement for space between cushion on Side seat and bottom of splint cabinet. 3/8 flip up gray lexan door	1	WC	VI-K2-0100
	<b>CABINET L, STREETSIDE UPPER 160-170", T1/T3</b>	<b>1</b>	<b>WC</b>	
VI-L1-0356	L,Cabts,L1 in Angled Area,L2 std,Full F,72"HR,Std Model only	1	WC	VI-L1-0356
	<b>BASEWALL DOORS:</b>	<b>1</b>	<b>WC</b>	
VK-15-4020	Cab H, Gray Polycarbonite Slider- CN 10 Compliant	1	WC	10411109
VK-16-5020	Cab O, Gray Polycarbonite Slider - CN 10 Compliant	1	WC	10411109
	<b>TELEMETRY AREA WORK SURFACE</b>	<b>1</b>	<b>WC</b>	
VP-10-5461	Telemetry Tray, Poured, Gray	1	WC	VP-10-5461
	<b>ACTION AREA WORK SURFACE</b>	<b>1</b>	<b>WC</b>	
VP-10-5918	A/A Tray, 160"-170",W/O Bio,Poured, Gray, MAV/1170F/1170D  It will be necessary for the right end of poured tray to be cut off. There will be no raised ledge on right end of poured tray. Caulk/sealant to be applied.	1	WC	VP-10-5918
	<b>ACTION AREA 165/170 INCH BOX:</b>	<b>1</b>	<b>WC</b>	
	Eng note NO bio waste per work order please			
VP-15-7020	Cab,A/A, No Biowaste, w/ Recessed Suction, 170" Type 1 Recessed suction in aisle facing cabinet face under action area tray.	1	WC	10495499
VU-14-4000	Shelf, Interior, Adj, in Cabinet:  (3) 1 J/K-1 L2- 1 O	3	WC	2101503
VU-14-4001	Shelf Track, Cabt, #HA24663, Upgrade, Std Model only ("C" channel/exterior shelf style track)	3	WC	VU-14-4001
VU-15-1850	Cab "J/K" Combined, Restocking Gray Polycarbonate Slider -CN 10 Compliant	1	WC	10411110
VU-15-9000	Cab "L1" Wood Door hinged on right.	1	WC	2100068

PART NO	DESCRIPTION	QTY	ID	REF. NO
VU-16-3050	Cab "L2" Restocking Gray Polycarbonate Slider -CN 10 Compliant	1	WC	10411110
	<b>SHIP LOOSE ITEMS:</b>	<b>1</b>	<b>WC</b>	
YY-00-0001	Bracket, Spare Tire Mounting, Ship Loose	1	WC	YY-00-0001
YY-00-0004	Cot Mount, Stryker 6392 Performance Load with Floor Plate - SHIP LOOSE WC option PF-26-3580 SHIP LOOSE	1		
YY-10-6400	Ship Loose, W.C. Standard Items	1	WC	2609998
	<b>FIRE EXTINGUISHERS:</b>	<b>1</b>	<b>WC</b>	
YY-13-2000	Fire Extinguisher. (1) 5 LB. ABC, IATS, Ship Loose	1	WC	2600601
YY-13-3000	Spare Tire, OEM only, Ship Loose	1	WC	1000800
	<b>WARRANTIES</b>	<b>1</b>	<b>WC</b>	
ZZ-10-0101	Warranty, Conversion, 12 Month	1	WC	0589998-14
ZZ-10-0201	Warranty, Paint, 60 month Prorated, Standard	1	WC	0599997-14
ZZ-10-0350	Warranty, Structural, 20 Years, Std., Mods	1	WC	0589996-18
ZZ-10-0601	Warranty, Limited Electrical	1	WC	0589993-14
ZZ-10-0701	Warranty, Cabinet Construction	1	WC	ZZ100701-14
ZZ-ZZ-0200	End Of Order	1	WC	9980002